

Merlin Tools Ltd



**Solid Carbide
Corner Radius
Corner Rounding**

Manufactured in the USA
Distributed in the UK





ISO 9001:2008

**NEW
PRODUCT
LINES**

Corner Radius - High Performance - TiAlN

Performance Solid Carbide - Coated TiAlN Centre Cutting End-Mills 30° Helix
Micro-grain K30 2 flute Corner Radius and 4-Flute Corner Radius





**All Corner Radius Tools
Ex Stock**

CUTTER DIA	SHANK DIA	FL	OAL	CORNER RADIUS	2 FLUTE PART NUMBER	4 FLUTE PART NUMBER
4	4	14	50	0.25	214 -10307-0.25R	414 -10507-0.25R
4	4	14	50	0.50	214 -10307-0.50R	414 -10507-0.50R
4	4	14	50	0.75	214 -10307-0.75R	414 -10507-0.75R
4	4	14	50	1.00	214 -10307-1.00R	414 -10507-1.00R
6	6	19	63	0.25	214 -10310-0.25R	414 -10510-0.25R
6	6	19	63	0.50	214 -10310-0.50R	414 -10510-0.50R
6	6	19	63	0.75	214 -10310-0.75R	414 -10510-0.75R
6	6	19	63	1.00	214 -10310-1.00R	414 -10510-1.00R
6	6	19	63	1.25	214 -10310-1.25R	414 -10510-1.25R
6	6	19	63	1.50	214 -10310-1.50R	414 -10510-1.50R
8	8	19	63	0.50	214 -10312-0.50R	414 -10512-0.50R
8	8	19	63	0.75	214 -10312-0.75R	414 -10512-0.75R
8	8	19	63	1.00	214 -10312-1.00R	414 -10512-1.00R
8	8	19	63	1.25	214 -10312-1.25R	414 -10512-1.25R
8	8	19	63	1.50	214 -10312-1.50R	414 -10512-1.50R
8	8	19	63	2.00	214 -10312-2.00R	414 -10512-2.00R
10	10	22	70	0.50	214 -10314-0.50R	414 -10514-0.50R
10	10	22	70	0.75	214 -10314-0.75R	414 -10514-0.75R
10	10	22	70	1.00	214 -10314-1.00R	414 -10514-1.00R
10	10	22	70	1.50	214 -10314-1.50R	414 -10514-1.50R
10	10	22	70	2.00	214 -10314-2.00R	414 -10514-2.00R
10	10	22	70	3.00	214 -10314-3.00R	414 -10514-3.00R
12	12	25	75	0.50	214 -10316-0.50R	414 -10516-0.50R
12	12	25	75	0.75	214 -10316-0.75R	414 -10516-0.75R
12	12	25	75	1.00	214 -10316-1.00R	414 -10516-1.00R
12	12	25	75	1.50	214 -10316-1.50R	414 -10516-1.50R
12	12	25	75	2.00	214 -10316-2.00R	414 -10516-2.00R
12	12	25	75	3.00	214 -10316-3.00R	414 -10516-3.00R
16	16	32	88	0.50	214 -10320-0.50R	414 -10520-0.50R
16	16	32	88	0.75	214 -10320-0.75R	414 -10520-0.75R
16	16	32	88	1.00	214 -10320-1.00R	414 -10520-1.00R
16	16	32	88	1.50	214 -10320-1.50R	414 -10520-1.50R
16	16	32	88	2.00	214 -10320-2.00R	414 -10520-2.00R
16	16	32	88	3.00	214 -10320-3.00R	414 -10520-3.00R
20	20	38	100	0.50	214 -10324-0.50R	414 -10524-0.50R
20	20	38	100	0.75	214 -10324-0.75R	414 -10524-0.75R
20	20	38	100	1.00	214 -10324-1.00R	414 -10524-1.00R
20	20	38	100	1.50	214 -10324-1.50R	414 -10524-1.50R
20	20	38	100	2.00	214 -10324-2.00R	414 -10524-2.00R
20	20	38	100	3.00	214 -10324-3.00R	414 -10524-3.00R

Corner Radius Tools for Aluminium

Ultra-High Performance Solid Carbide - H/S/M 55° Helix for Aluminium
Micro-grain K30 2 flute and 3 flute Alumazip Corner Radius

NEW



**Extremely
Competitive Pricing**


Merlin Tools Ltd
Quality Precision Performance

CUTTER DIA	SHANK DIA	CORNER RADIUS	2 FLUTE FL	2 FLUTE OAL	2 FLUTE PART NUMBER	3 FLUTE FL	3 FLUTE OAL	3 FLUTE PART NUMBER
3	3	0.5	12	38	254 -11305-0.5R	12	38	356 -13505-0.5R
3	3	1.0	12	38	254 -11305-1.0R	12	38	356 -13505-1.0R
4	4	0.5	14	50	254 -11307-0.5R	15	50	356 -13507-0.5R
4	4	1.0	14	50	254 -11307-1.0R	15	50	356 -13507-1.0R
5	5	0.5	19	50	254 -11309-0.5R	20	50	356 -13509-0.5R
5	5	1.0	19	50	254 -11309-1.0R	20	50	356 -13509-1.0R
6	6	0.5	19	63	254 -11310-0.5R	20	64	356 -13510-0.5R
6	6	1.0	19	63	254 -11310-1.0R	20	64	356 -13510-1.0R
6	6	1.5	19	63	254 -11310-1.5R	20	64	356 -13510-1.5R
6	6	2.0	19	63	254 -11310-2.0R	20	64	356 -13510-2.0R
8	8	0.5	19	63	254 -11312-0.5R	22	64	356 -13512-0.5R
8	8	1.0	19	63	254 -11312-1.0R	22	64	356 -13512-1.0R
8	8	1.5	19	63	254 -11312-1.5R	22	64	356 -13512-1.5R
8	8	2.0	19	63	254 -11312-2.0R	22	64	356 -13512-2.0R
8	8	3.0	19	63	254 -11312-3.0R	22	64	356 -13512-3.0R
10	10	0.5	22	70	254 -11314-0.5R	25	70	356 -13514-0.5R
10	10	1.0	22	70	254 -11314-1.0R	25	70	356 -13514-1.0R
10	10	1.5	22	70	254 -11314-1.5R	25	70	356 -13514-1.5R
10	10	2.0	22	70	254 -11314-2.0R	25	70	356 -13514-2.0R
10	10	3.0	22	70	254 -11314-3.0R	25	70	356 -13514-3.0R
12	12	0.5	25	83	254 -11316-0.5R	25	76	356 -13516-0.5R
12	12	1.0	25	83	254 -11316-1.0R	25	76	356 -13516-1.0R
12	12	1.5	25	83	254 -11316-1.5R	25	76	356 -13516-1.5R
12	12	2.0	25	83	254 -11316-2.0R	25	76	356 -13516-2.0R
12	12	3.0	25	83	254 -11316-3.0R	25	76	356 -13516-3.0R
14	14	0.5	30	83	254 -11318-0.5R	30	90	356 -13518-0.5R
14	14	1.0	30	83	254 -11318-1.0R	30	90	356 -13518-1.0R
16	16	0.5	32	88	254 -11320-0.5R	35	90	356 -13520-0.5R
16	16	1.0	32	88	254 -11320-1.0R	35	90	356 -13520-1.0R
16	16	1.5	32	88	254 -11320-1.5R	35	90	356 -13520-1.5R
16	16	2.0	32	88	254 -11320-2.0R	35	90	356 -13520-2.0R
16	16	3.0	32	88	254 -11320-3.0R	35	90	356 -13520-3.0R
16	16	4.0	32	88	254 -11320-4.0R	35	90	356 -13520-4.0R
18	18	0.5	35	88	254 -11322-0.5R	35	90	356 -13522-0.5R
18	18	1.0	35	88	254 -11322-1.0R	35	90	356 -13522-1.0R
20	20	0.5	38	100	254 -11324-0.5R	40	100	356 -13524-0.5R
20	20	1.0	38	100	254 -11324-1.0R	40	100	356 -13524-1.0R
20	20	1.5	38	100	254 -11324-1.5R	40	100	356 -13524-1.5R
20	20	2.0	38	100	254 -11324-2.0R	40	100	356 -13524-2.0R
20	20	3.0	38	100	254 -11324-3.0R	40	100	356 -13524-3.0R
20	20	4.0	38	100	254 -11324-4.0R	40	100	356 -13524-4.0R

Long Series Corner Radius Tools for Aluminium

Ultra-High Performance Solid Carbide - H/S/M 55° Helix for Aluminium
Micro-grain K30 3 flute Long Alumazip Corner Radius

NEW



CUTTER DIA	SHANK DIA	FL	OAL	CORNER RADIUS	PART NUMBER
3	6	15	75	0.5	357-13605-0.5R
3	6	15	75	1.0	357-13605-1.0R
4	6	20	75	0.5	357-13607-0.5R
4	6	20	75	1.0	357-13607-1.0R
5	6	25	75	0.5	357-13609-0.5R
5	6	25	75	1.0	357-13609-1.0R
6	6	35	100	0.5	357-13610-0.5R
6	6	35	100	1.0	357-13610-1.0R
6	6	35	100	1.5	357-13610-1.5R
6	6	35	100	2.0	357-13610-2.0R
8	8	45	100	0.5	357-13612-0.5R
8	8	45	100	1.0	357-13612-1.0R
8	8	45	100	1.5	357-13612-1.5R
8	8	45	100	2.0	357-13612-2.0R
8	8	45	100	3.0	357-13612-3.0R
10	10	45	100	0.5	357-13614-0.5R
10	10	45	100	1.0	357-13614-1.0R
10	10	45	100	1.5	357-13614-1.5R
10	10	45	100	2.0	357-13614-2.0R
10	10	45	100	3.0	357-13614-3.0R
12	12	50	100	0.5	357-13616-0.5R
12	12	50	100	1.0	357-13616-1.0R
12	12	50	100	1.5	357-13616-1.5R
12	12	50	100	2.0	357-13616-2.0R
12	12	50	100	3.0	357-13616-3.0R
14	14	50	100	0.5	357-13618-0.5R
14	14	50	100	1.0	357-13618-1.0R
16	16	60	150	0.5	357-13620-0.5R
16	16	60	150	1.0	357-13620-1.0R
16	16	60	150	1.5	357-13620-1.5R
16	16	60	150	2.0	357-13620-2.0R
16	16	60	150	3.0	357-13620-3.0R
16	16	60	150	4.0	357-13620-4.0R
18	18	60	150	0.5	357-13622-0.5R
18	18	60	150	1.0	357-13622-1.0R
20	20	60	150	0.5	357-13624-0.5R
20	20	60	150	1.0	357-13624-1.0R
20	20	60	150	1.5	357-13624-1.5R
20	20	60	150	2.0	357-13624-2.0R
20	20	60	150	3.0	357-13624-3.0R
20	20	60	150	4.0	357-13624-4.0R

All Corner Radius Tools Ex Stock

Ultra-High Performance Solid Carbide - H/S/M 40° Helix for Aluminium
Micro-grain K30 2 flute Long-Reach Corner Radius



CUTTER DIA	SHANK DIA	FL	OAL	NECK DIA.	REACH	CORNER RADIUS	PART NUMBER
3	6	3	75	2.5	12	0.5	255-12305-0.5R
3	6	3	75	2.5	12	1.0	255-12305-1.0R
4	6	4	75	3.5	15	0.5	255-12307-0.5R
4	6	4	75	3.5	15	1.0	255-12307-1.0R
5	6	5	75	4.5	20	0.5	255-12309-0.5R
5	6	5	75	4.5	20	1.0	255-12309-1.0R
6	6	6	100	5	20	0.5	255-12310-0.5R
6	6	6	100	5	20	1.0	255-12310-1.0R
6	6	6	100	5	20	1.5	255-12310-1.5R
6	6	6	100	5	20	2.0	255-12310-2.0R
8	8	8	100	7	25	0.5	255-12312-0.5R
8	8	8	100	7	25	1.0	255-12312-1.0R
8	8	8	100	7	25	1.5	255-12312-1.5R
8	8	8	100	7	25	2.0	255-12312-2.0R
8	8	8	100	7	25	3.0	255-12312-3.0R
10	10	10	100	9	25	0.5	255-12314-0.5R
10	10	10	100	9	25	1.0	255-12314-1.0R
10	10	10	100	9	25	1.5	255-12314-1.5R
10	10	10	100	9	25	2.0	255-12314-2.0R
10	10	10	100	9	25	3.0	255-12314-3.0R
12	12	12	100	11	40	0.5	255-12316-0.5R
12	12	12	100	11	40	1.0	255-12316-1.0R
12	12	12	100	11	40	1.5	255-12316-1.5R
12	12	12	100	11	40	2.0	255-12316-2.0R
12	12	12	100	11	40	3.0	255-12316-3.0R
14	14	14	125	13	50	0.5	255-12318-0.5R
14	14	14	125	13	50	1.0	255-12318-1.0R
16	16	16	125	14	50	0.5	255-12320-0.5R
16	16	16	125	14	50	1.0	255-12320-1.0R
16	16	16	125	14	50	1.5	255-12320-1.5R
16	16	16	125	14	50	2.0	255-12320-2.0R
16	16	16	125	14	50	3.0	255-12320-3.0R
16	16	16	125	14	50	4.0	255-12320-4.0R
20	20	20	150	18	65	0.5	255-12324-0.5R
20	20	20	150	18	65	1.0	255-12324-1.0R
20	20	20	150	18	65	1.5	255-12324-1.5R
20	20	20	150	18	65	2.0	255-12324-2.0R
20	20	20	150	18	65	3.0	255-12324-3.0R
20	20	20	150	18	65	4.0	255-12324-4.0R

Extremely Competitive Pricing

Merlin Tools Ltd
Quality Precision Performance

Manufactured in the USA
Distributed in the UK




Tel: 01509 610300 • Fax: 01509 610400 • Email: sales@merlintools.ltd.uk • www.merlintools.ltd.uk

Corner Radius - Variable Helix - V4% - TiALN

V4%

Ultra-High Performance Solid Carbide - TiALN
35°/38° Variable Helix 4 flute - Micro-grain K20/30 Corner Radius

NEW



CUTTER DIA	SHANK DIA	FL	OAL	CORNER RADIUS	PART NUMBER
3	6	8	57	0.25	691-25005-0.25R
3	6	8	57	0.50	691-25005-0.50R
4	6	11	57	0.25	691-25007-0.25R
4	6	11	57	0.50	691-25007-0.50R
4	6	11	57	1.00	691-25007-1.00R
5	6	13	57	0.25	691-25009-0.25R
5	6	13	57	0.50	691-25009-0.50R
5	6	13	57	1.00	691-25009-1.00R
6	6	13	57	0.25	691-25010-0.25R
6	6	13	57	0.50	691-25010-0.50R
6	6	13	57	1.00	691-25010-1.00R
6	6	13	57	1.50	691-25010-1.50R
6	6	13	57	2.00	691-25010-2.00R
8	8	19	63	0.50	691-25912-0.50R
8	8	19	63	1.00	691-25912-1.00R
8	8	19	63	1.50	691-25912-1.50R
8	8	19	63	2.00	691-25912-2.00R
8	8	19	63	3.00	691-25912-3.00R
10	10	22	70	0.50	691-25914-0.50R
10	10	22	70	1.00	691-25914-1.00R
10	10	22	70	1.50	691-25914-1.50R
10	10	22	70	2.00	691-25914-2.00R
10	10	22	70	3.00	691-25914-3.00R
12	12	26	75	0.50	691-25916-0.50R
12	12	26	75	0.75	691-25916-0.75R
12	12	26	75	1.00	691-25916-1.00R
12	12	26	75	1.50	691-25916-1.50R
12	12	26	75	2.00	691-25916-2.00R
12	12	26	75	2.50	691-25916-2.50R
12	12	26	75	3.00	691-25916-3.00R
12	12	26	75	4.00	691-25916-4.00R
14	14	26	88	0.75	691-25918-0.75R
16	16	32	88	0.50	691-25920-0.50R
16	16	32	88	1.00	691-25920-1.00R
16	16	32	88	1.50	691-25920-1.50R
16	16	32	88	2.00	691-25920-2.00R
16	16	32	88	2.50	691-25920-2.50R
16	16	32	88	3.00	691-25920-3.00R
16	16	32	88	4.00	691-25920-4.00R
18	18	36	100	1.00	691-25922-1.00R
20	20	38	100	1.00	691-25924-1.00R
20	20	38	100	1.50	691-25924-1.50R
20	20	38	100	2.00	691-25924-2.00R
20	20	38	100	3.00	691-25924-3.00R
20	20	38	100	4.00	691-25924-4.00R
20	20	38	100	5.00	691-25924-5.00R
20	20	38	100	6.00	691-25924-6.00R
25	25	38	100	1.00	691-25929-1.00R



**All Corner Radius Tools
Ex Stock**

V4%

Ultra-High Performance Solid Carbide - TiALN
35°/38° Variable Helix 4 flute - K20/30 Long Reach Corner Radius Neck Relief

NEW



CUTTER DIA	SHANK DIA	NECK DIA	FL	OAL	REACH	CORNER RADIUS	PART NUMBER
6	6	5.8	12	100	30	0.25	601-24910-0.25R
6	6	5.8	12	100	30	0.50	601-24910-0.50R
6	6	5.8	12	100	30	1.00	601-24910-1.00R
8	8	7.6	12	100	40	0.50	601-24912-0.50R
8	8	7.6	16	100	40	1.00	601-24912-1.00R
8	8	7.6	16	100	40	2.00	601-24912-2.00R
8	8	7.6	16	100	40	3.00	601-24912-3.00R
10	10	9.6	20	127	50	0.50	601-24914-0.50R
10	10	9.6	20	127	50	1.00	601-24914-1.00R
10	10	9.6	20	127	50	2.00	601-24914-2.00R
10	10	9.6	20	127	50	3.00	601-24914-3.00R
12	12	11.4	24	150	62	0.50	601-24916-0.50R
12	12	11.4	24	150	62	1.00	601-24916-1.00R
12	12	11.4	24	150	62	1.50	601-24916-1.50R
12	12	11.4	24	150	62	2.00	601-24916-2.00R
12	12	11.4	24	150	62	3.00	601-24916-3.00R
12	12	11.4	24	150	62	4.00	601-24916-4.00R
16	16	15.2	32	150	82	0.50	601-24920-0.50R
16	16	15.2	32	150	82	1.00	601-24920-1.00R
16	16	15.2	32	150	82	1.50	601-24920-1.50R
16	16	15.2	32	150	82	2.00	601-24920-2.00R
16	16	15.2	32	150	82	3.00	601-24920-3.00R
16	16	15.2	32	150	82	4.00	601-24920-4.00R
16	16	15.2	32	150	82	5.00	601-24920-5.00R
20	20	19.2	40	150	102	0.50	601-24924-0.50R
20	20	19.2	40	150	102	1.00	601-24924-1.00R
20	20	19.2	40	150	102	2.00	601-24924-2.00R
20	20	19.2	40	150	102	3.00	601-24924-3.00R
20	20	19.2	40	150	102	4.00	601-24924-4.00R
20	20	19.2	40	150	102	5.00	601-24924-5.00R
20	20	19.2	40	150	102	6.00	601-24924-6.00R



**Extremely
Competitive Pricing**



Quality
Precision
Performance


Tel: 01509 610300 • Fax: 01509 610400

Email: sales@merlintools.ltd.uk

www.merlintools.ltd.uk

Corner Rounding Range


High Performance Solid Carbide - 4 flute 90° Radius Plus Run Out - Micro-grain K30 Corner Rounding



RADIUS	OAL	SHANK DIA	PART NUMBER
0.5	64	8	112 -41105
1.0	64	8	112 -41110
1.5	70	10	112 -41115
2.0	70	10	112 -41120
2.5	76	12	112 -41125
3.0	76	12	112 -41130
3.5	89	16	112 -41135
4.0	89	16	112 -41140
4.5	89	16	112 -41145
5.0	89	16	112 -41150
5.5	100	20	112 -41155
6.0	100	20	112 -41160

High Performance Solid Carbide - TiALN - 4 flute 90° Radius Plus Run Out - Micro-grain K30 Corner Rounding

NEW



RADIUS	OAL	SHANK DIA	PART NUMBER
0.5	64	8	122 -41105
1.0	64	8	122 -41110
1.5	70	10	122 -41115
2.0	70	10	122 -41120
2.5	76	12	122 -41125
3.0	76	12	122 -41130
3.5	89	16	122 -41135
4.0	89	16	122 -41140
4.5	89	16	122 -41145
5.0	89	16	122 -41150
5.5	100	20	122 -41155
6.0	100	20	122 -41160

Izar Performance HSSE 8% Co. - Bright Finish DIN 6518 B N Corner Rounding Cutters



CUTTER DIA	RADIUS	PILOT	HEAD LENGTH	SHANK DIA	OAL	No. FL	PART NUMBER
10	1	6		10	60	4	5080 -77762
10	1.6	6		10	60	4	5080 -77763
10	2	6		10	60	4	5080 -77764
11	2.5	6	8	10	60	4	5080 -77765
12	3	6		12	60	4	5080 -77766
14	4	6	10	12	60	4	5080 -77767
16	5	6	10	12	60	4	5080 -77768
20	6	8	12	16	67	4	5080 -77769
22	7	8	16	16	71	4	5080 -77770
24	8	8	16	16	71	4	5080 -77771
26	9	8	18	25	85	4	5080 -77772
28	10	8	18	25	85	4	5080 -77773
34	12	10	24	25	90	4	5080 -77774
41	12.5	16	28	25	100	6	5080 -77775
48	16	16	28	25	100	6	5080 -77776
56	20	16	32	35	112	6	5080 -77777


Izar Performance HSSE 8% Co. - TiALN DIN 6518 B N Corner Rounding Cutters



CUTTER DIA	RADIUS	PILOT	HEAD LENGTH	SHANK DIA	OAL	No. FL	PART NUMBER
10	1	6		10	60	4	5080 -19925
10	1.6	6		10	60	4	5080 -19379
10	2	6		10	60	4	5080 -18048
11	2.5	6	8	10	60	4	5080 -19928
12	3	6		12	60	4	5080 -18049
14	4	6	10	12	60	4	5080 -18052
16	5	6	10	12	60	4	5080 -17591
20	6	8	12	16	67	4	5080 -18056
22	7	8	16	16	71	4	5080 -19934
24	8	8	16	16	71	4	5080 -17593
26	9	8	18	25	85	4	5080 -19946
28	10	8	18	25	85	4	5080 -19952
34	12	10	24	25	90	4	5080 -19953
41	12.5	16	28	25	100	6	5080 -19954
48	16	16	28	25	100	6	5080 -19956
56	20	16	32	35	112	6	5080 -21999


Corner Radius - High Speed Machining Range

Ultra-High Performance Solid Carbide - TiAlN 50° Helix High Speed Machining Micro-grain K30 Multi-Flute Corner Radius



CUTTER DIA	SHANK DIA	FL	OAL	Corner Radius	No. Of Flutes	PART NUMBER
6	6	18	58	0.5	6	610-11710-0.5R
6	6	18	58	1.0	6	610-11710-1.0R
8	8	24	63	0.5	6	610-11712-0.5R
8	8	24	63	1.0	6	610-11712-1.0R
10	10	30	75	0.5	6	610-11714-0.5R
10	10	30	75	1.0	6	610-11714-1.0R
12	12	36	84	0.5	6	610-11716-0.5R
12	12	36	84	1.0	6	610-11716-1.0R
14	14	42	84	0.5	6	610-11718-0.5R
14	14	42	84	1.0	6	610-11718-1.0R
16	16	48	93	0.5	8	610-11720-0.5R
16	16	48	93	1.0	8	610-11720-1.0R
18	18	54	100	0.5	8	610-11722-0.5R
18	18	54	100	1.0	8	610-11722-1.0R
20	20	60	105	0.5	8	610-11724-0.5R
20	20	60	105	1.0	8	610-11724-1.0R

Ultra-High Performance Solid Carbide - TiAlN 50° Helix High Speed Machining - Long Micro-grain K30 Multi-Flute Corner Radius



CUTTER DIA	SHANK DIA	FL	OAL	Corner Radius	No. Of Flutes	PART NUMBER
6	6	32	75	0.5	6	620-11710-0.5R
6	6	32	75	1.0	6	620-11710-1.0R
8	8	32	75	0.5	6	620-11712-0.5R
8	8	32	75	1.0	6	620-11712-1.0R
10	10	50	100	0.5	6	620-11714-0.5R
10	10	50	100	1.0	6	620-11714-1.0R
12	12	50	100	0.5	6	620-11716-0.5R
12	12	50	100	1.0	6	620-11716-1.0R
14	14	50	100	0.5	6	620-11718-0.5R
14	14	50	100	1.0	6	620-11718-1.0R
16	16	62	125	0.5	8	620-11720-0.5R
16	16	62	125	1.0	8	620-11720-1.0R
18	18	62	125	0.5	8	620-11722-0.5R
18	18	62	125	1.0	8	620-11722-1.0R
20	20	65	130	0.5	8	620-11724-0.5R
20	20	65	130	1.0	8	620-11724-1.0R

- ✓ **Specials & Modification Service**
- ✓ **Extremely Competitive Pricing**
- ✓ **Ex Stock Delivery on All Tools**



Call us now for your
FREE 200 page Product Catalogue!

01509 610300

Solid Carbide Endmills • Drills including 3xD - 5xD - 8xD
Solid Carbide Threadmills ISO Metric & NPT
Izar HSSCo & Izarmax ASP 52 Endmills • Machine Taps HSSCo & ASP2023
Carbide Rotary Burrs • Collets and Chucks

Merlin Tools Ltd
Quality
Precision
Performance



Tel: 01509 610300 • Fax: 01509 610400 • Email: sales@merlintools.ltd.uk • www.merlintools.ltd.uk